

Math 55: Final Exam, 11 December 2003, 12:30-3:30 pm J. Strain

Write your name, your student ID number, your section time and number, a five-problem grading grid (see right), and your GSI's name on the cover of your blue book. Books, notes, calculators, scratch paper and/or collaboration are not allowed. Remain in your seat and hand in your exam book *to your GSI* at 3:30 pm; when you finish, check over your work — do not leave early!

1	
2	
3	
4	
5	
Total	

- Problem 1:** (a) Compute $1155^{55} \bmod 17$.
 (b) Find the smallest positive inverse of 10 mod 17.
 (c) State the Chinese Remainder Theorem.
 (d) Use the procedure of the Chinese Remainder Theorem to compute $1155^{55} \bmod 170$.
 (e) State Fermat's little Theorem.
 (f) Use Fermat's little Theorem to find the smallest odd prime number which divides $1155^{55} - 1$.

Problem 2: Choose a *positive* integer solution ($x_1 > 0, x_2 > 0, x_3 > 0$) of

$$x_1 + x_2 + x_3 = 42$$

at random, where each solution has equal probability.

- (a) What is the probability of selecting (14, 14, 14)?
 (b) What is the probability that at least one of the x 's is exactly equal to 20?
 (c) What is the probability that $x_1 = 10$, given that $x_2 = 14$?

Problem 3: Define the divisibility relation R on $\mathbf{Z}_n = \{1, 2, 3, 4, \dots, n\}$ by $aRb \leftrightarrow a|b$.

- (a) Define a partial order and prove or disprove that R is one.
 (b) Let M be the matrix of R . Show that the number $d(j)$ of divisors of any integer $j \in \mathbf{Z}_n$ is given by the sum of the entries in column j of M :


$$d(j) = \sum_{i=1}^n M_{ij}.$$

- (c) Evaluate $d(pq)$ for any primes p and q such that $pq \in \mathbf{Z}_n$.
 (d) Consider the experiment of selecting an integer j from \mathbf{Z}_n at random, with equal probabilities. Show that

$$E(d) \leq \sum_{k=1}^n \frac{1}{k}.$$

- (e) Prove by induction that $E(d) = O(\log n)$.

Problem 4: Consider the following undirected pseudograph G :



- (a) Write down the adjacency matrix A of G . Put 1 for a loop (not 2).
 (b) Find all paths of length 3 from 1 to 2; for example, one is $1c1c1a2$, where the path loops twice at 1 then goes from 1 to 2 via edge a .
 (c) Use the adjacency matrix A to find a recurrence relation for the number b_n of paths from 1 to 2 of any length $n \geq 1$. You should get

$$b_n = b_{n-1} + 4b_{n-2}.$$

- (d) Use the recurrence relation to find a closed form for the generating function $G(x)$ of the sequence b_n .
 (e) Express $G(x)$ as the sum of two partial fractions.
 (f) Use the geometric series formula to find a closed form for b_n and verify your result for $n = 1$ and 2.

Problem 5: (a) List all equivalence relations on $\{1, 2, 3\}$.

(b) Let E be the set of partitions of $\{1, 2, 3\}$ into disjoint nonempty subsets. Let the partial order \preceq on E be defined by

$$\forall p \in E \forall q \in E (p \preceq q \iff \forall A \in p \exists B \in q (A \subseteq B)).$$

Draw the digraph and the Hasse diagram of the relation \preceq .

(c) List E in a topologically sorted order.