MATH 1A FINAL (PRACTICE 1) PROFESSOR PAULIN



Name: _____

Student ID: _____

GSI's name:

This exam consists of 10 questions. Answer the questions in the spaces provided.

- 1. Calculate the following (you do not need to use the limit definition):
 - (a) (10 points)

$$\frac{d}{dx}\ln(3x)e^{2x}$$

Solution:

(b) (15 points)

$$\frac{d}{dx}\tan(e^{(x^x)})$$

- 2. Calculate the following (you do not need to use the (ϵ, δ) -definition):
 - (a) (10 points)

$$\lim_{x \to 0} \frac{\sin(x^2)}{\tan x}$$

Solution:

(b) (15 points)

$$\lim_{x \to -\infty} \frac{\sqrt{1+4x^6}}{2+x^3}$$

- 3. Calculate the following (you do not need to use Riemann sum definition):
 - (a) (10 points)

$$\int \frac{2x+4}{x^2+1} dx$$

Solution:

(b) (15 points)

$$\int_{e}^{e^2} \frac{1}{x \ln(x)} dx$$

Solution:

PLEASE TURN OVER

4. (25 points) A cup of water is placed in a refrigerator. The refrigerator has temperature 5C. After 10 minutes the water is 15C. After 20 minutes the water is 10C. Determine the temperature of the water when it was placed in the refrigerator.

5. (25 points) Sketch the following curve. Be sure to indicate asymptotes, local maxima and minima and concavity. Show your working on this page and draw the graph on the next page.

$$y = \frac{x^2 e^x}{x}$$

Solution (continued) :

6. (25 points) Determine the equation of the tangent line at x = 1 of the following curve:

$$y = \int_{x}^{3x} \cos(\pi t) dt + 2x$$

7. (25 points) An open box will be made by cutting a square from each corner of a 3 by 8 foot piece of cardboard and then folding up the sides. What size squares should be cut from each corner to maximize the volume.

8. (25 points) A company accrues debt at a rate of

$$(2t+3)\sqrt{t+1}$$

dollars per year, where t is the time in years since the company started. How much will the company's debt have grown between t = 3 and t = 8? You do not need to simplify your answer.

9. (25 points) Calculate the following limit:

$$\lim_{n \to \infty} \sum_{i=1}^{n} \frac{6n+3i}{n^2} \sin((2+\frac{i}{n})^2)$$

- 10. Let f(x) = 1/x and g(x) = 4x h(x) = x.
 - (a) (10 points) Calculate the area of the finite region bounded by y = f(x), y = g(x) and y = h(x).
 Solution:

(b) (15 points) Calculate the volume of the solid of revolution formed by rotating this region around the x-axis.Solution: