

# Practice Problems

These problems mostly cover the second half of the semester. They do not cover every topic, and are meant as extra practice, not a comprehensive review.

1. Let  $f, g : [a, b] \rightarrow \mathbb{R}$  be continuous functions such that  $\int_a^b f = \int_a^b g$ . Prove that  $f(x) = g(x)$  for some  $x \in [a, b]$ .
2. Find the Taylor series for  $f : (-\infty, 1) \rightarrow \mathbb{R}$ ,  $f(x) = \sqrt{1-x}$ . Use Taylor's theorem to prove that the Taylor series converges to  $f$  for  $x \in (-1, 0)$ .
3. Define  $f_n : \mathbb{R} \rightarrow \mathbb{R}$  by  $f_n(x) = \frac{x}{1+nx^2}$ . Find  $f : \mathbb{R} \rightarrow \mathbb{R}$  such that  $f_n \rightarrow f$  uniformly. Prove that  $\lim_{n \rightarrow \infty} f'_n(x) = f'(x)$  for all  $x \in \mathbb{R}$  except  $x = 0$ .

4. For each  $k \in \mathbb{N}$  define

$$g_k : [-\pi, \pi] \rightarrow \mathbb{R} \text{ by } g_k(x) = (\sin(x))^2(\cos(x))^{2k}.$$

- a) Find  $f : [-\pi, \pi] \rightarrow \mathbb{R}$  such that  $\sum g_k \rightarrow f$  pointwise.
  - b) Does  $\sum g_k \rightarrow f$  uniformly?
  - c) If we change the domain to  $[\pi/4, 3\pi/4]$ , does  $\sum g_k \rightarrow f$  uniformly?
5. Define  $f, g : \mathbb{R} \rightarrow \mathbb{R}$  by  $f(x) = e^{\sin(x)}$  and  $g(x) = \int_0^{x^2} f$ . Find  $g'(x)$ .
  6. Let  $a_n \in \mathbb{R}$  for all  $n \in \mathbb{N}$  such that  $\sum a_n 2^n$  converges. Prove that the sequence of functions  $\sum a_n x^n$  converges uniformly on  $[-1, 1]$ .