

## Sequences of Functions

**Definition** A sequence  $(f_n)$  of functions  $f_n : S \rightarrow \mathbb{R}$  **converges pointwise** to a function  $f : S \rightarrow \mathbb{R}$  if for all  $x \in S$   $(f_n(x))$  converges to  $f(x)$ . We write “ $f_n \rightarrow f$  pointwise.”

**Definition** A sequence  $(f_n)$  of functions  $f_n : S \rightarrow \mathbb{R}$  **converges uniformly** to a function  $f : S \rightarrow \mathbb{R}$  if for all  $\epsilon > 0$  there exists  $N \in \mathbb{R}$  such that  $n > N$  and  $x \in S$  implies  $|f_n(x) - f(x)| < \epsilon$ . We write “ $f_n \rightarrow f$  uniformly.”

**Fact** If  $f_n \rightarrow f$  uniformly then  $f_n \rightarrow f$  pointwise.

**Theorem** Let  $f_n, f : S \rightarrow \mathbb{R}$  be functions for all  $n \in \mathbb{N}$  such that  $f_n \rightarrow f$  uniformly. If  $f_n$  is continuous at  $x_0 \in S$  for each  $n \in \mathbb{N}$  then  $f$  is continuous at  $x_0$ .

**Lemma** Let  $f, f_n : S \rightarrow \mathbb{R}$  be functions for all  $n \in \mathbb{N}$ . Then  $f_n \rightarrow f$  uniformly if and only if

$$\lim_{n \rightarrow \infty} \sup\{|f_n(x) - f(x)| \mid x \in S\} = 0.$$