## Systems of Linear Equations and Row Reduction

1. For each augmented matrix, find all solutions to the system of linear equations that it represents.

(a) 
$$\begin{bmatrix} 1 & 0 & 0 & | & 5 \\ 0 & 1 & 0 & | & 3 \\ 0 & 0 & 1 & | & -7 \end{bmatrix}$$
 (b)  $\begin{bmatrix} 1 & 2 & 0 & | & 3 \\ 0 & 0 & 1 & | & -7 \end{bmatrix}$  (c)  $\begin{bmatrix} 1 & 3 & 6 & | & 1 \\ 0 & 2 & 1 & | & 7 \\ 0 & 0 & 3 & | & 9 \end{bmatrix}$ 

- 2. Use row reduction to find solutions to each of the following systems of linear equations.
  - (a)  $3x_1 + 6x_2 + 3x_3 = -3$  (b)  $x_1 + 2x_2 = 3$   $5x_1 - 3x_2 + 18x_3 = 8$   $3x_1 - 6x_2 = 9$  $7x_1 + 2x_2 + 19x_3 = 5$   $x_1 + x_2 = 10$
- 3. For what values of h is the following system consistent?

- 4. When doing row reduction, we are allowed to perform three types of operations: multiply any row by a nonzero scalar, swap two rows, and add a multiple of one row to another. In the first operation, why did we have to specify that the scalar is nonzero?
- 5. How many solutions does a system of linear equations have if the coefficient matrix in REF has:
  - (a) A pivot in every row?
  - (b) A pivot in every column?
  - (c) A free variable (i.e. a column with no pivot)?
  - (d) More columns than rows?
  - (e) More rows than columns?
- 6. For what values of c are the following augmented matrices consistent?

(a) 
$$\begin{bmatrix} 1 & 2 & 0 & 3 & | & 1 \\ 0 & 0 & 1 & 0 & | & 2 \\ 0 & 0 & 0 & 0 & | & c \end{bmatrix}$$
 (b) 
$$\begin{bmatrix} 1 & 2 & | & 3 \\ c & 3 & | & -2 \\ 0 & 0 & | & 0 \end{bmatrix}$$