

# 1 Matrix Algebra

## 1.1 Concepts

1. A **matrix** is a  $m \times n$  grid of numbers. This mean  $m$  rows and  $n$  columns. A **vector** can either be a **row vector** or **column vector**. A **row vector** is just a single row, so a  $1 \times n$  matrix and a **column vector** is a column or a  $m \times 1$  matrix. A **scalar** is just a number.

We can add two matrices if they are of the same size. We add each entry separately. We can also multiply matrices by scalars.

Given two matrices  $A, B$  that are of dimension  $m \times n$  and  $\ell \times k$ , we can multiply them as  $AB$  if and only if  $n = \ell$ . So the number of columns in the first matrix must equal the number of rows in the second matrix. This means that sometimes we can compute  $AB$  but not  $BA$ . If you multiply a  $m \times n$  matrix by a  $n \times k$  matrix, the outcome is a  $m \times k$  matrix.

If two vectors have the same number of elements, then we can take the dot product of them. The **dot product** of the vectors  $(a_1, a_2, \dots, a_n)$  and  $(b_1, \dots, b_n)$  is a scalar given by  $a_1b_1 + a_2b_2 + \dots + a_nb_n$ . We write it as  $\vec{v} \bullet \vec{w}$ . The **norm** of a vector is given by  $\sqrt{a_1^2 + a_2^2 + \dots + a_n^2}$  and denoted by  $|\vec{v}|$ . Then  $|a| = 0$  if and only if  $a = 0$ , the 0 vector. Let  $\theta$  be the angle between two vector  $\vec{v}, \vec{w}$ , then  $\vec{v} \bullet \vec{w} = |\vec{v}| \cdot |\vec{w}| \cos \theta$ .

For a  $m \times n$  matrix  $A$ , the **transpose**  $A^T$  is the  $n \times m$  matrix with all the elements flipped around.

## 1.2 Problems

2. True    False    If  $A$  is a matrix and  $v$  is a vector, then  $Av$  (assuming we can take such a product) is another vector.
3. True    False    If there are matrices such that  $AB = M$  and we know the dimensions of  $M$ , then we know the dimensions of  $A$  and  $B$ .

4. Let  $A = \begin{pmatrix} 3 & 5 & 6 \\ 1 & 2 & 2 \end{pmatrix}$  and  $B = \begin{pmatrix} -1 & 0 \\ 3 & 3 \\ 0 & -2 \end{pmatrix}$ . Calculate  $A + 2B^T$  and  $AB$ .

5. Let  $A = \begin{pmatrix} 2 & 3 & 3 \\ -1 & 0 & 4 \end{pmatrix}$  and  $B = \begin{pmatrix} 5 & -1 \\ -3 & -4 \\ 0 & 1 \end{pmatrix}$ . Calculate  $AB$  and  $BA$ .

6. Represent the system of equations  $3x + 5y + 2z = 11, 8x - y = 0$  in matrix form as  $A \begin{pmatrix} x \\ y \\ z \end{pmatrix} = b$  with  $A$  being a matrix and  $b$  a vector.
7. Let  $v = (1, 2, 2, -1)$  and  $w = (5, 3, -5, 3)$ . Calculate  $v \bullet w$  and  $|v|$ .
8. Find the angle between the two vector  $v = (1, 3, 5, -2, 4, 3)$  and  $w = (1, 1, 5, 2, 2, 1)$ .
9. Suppose that  $A$  is a matrix such that  $A \begin{pmatrix} 1 \\ 1 \\ 11 \end{pmatrix} = \begin{pmatrix} 0 \\ 5 \end{pmatrix}$ . What are the dimensions of  $A$ ?  
Come up with an example for  $A$ . Is the size unique? Is  $A$  unique?
10. When is  $|\vec{v} \bullet \vec{w}| = |\vec{v}| \cdot |\vec{w}|$ ? (Hint: What is  $\theta$ ?)
11. Find a  $2 \times 2$  matrix  $A$  with no 0's such that  $A^2 = \begin{pmatrix} 0 & 0 \\ 0 & 0 \end{pmatrix}$ .
12. Find  $x, y$  such that
- $$\begin{pmatrix} -3 & 2 \\ y & x \end{pmatrix} \begin{pmatrix} -2 & 5 \\ x & y \end{pmatrix} = \begin{pmatrix} y & -7 \\ -7 & 16 \end{pmatrix}$$